

Rotating lever type CSR



Rotating Lever Type

- Sliding touch type
- Low contact force

CSR series

Rotating lever

CS-Touch Sensor provided with a rotating shaft sustained by 2 ball bearings. The finely adjustable contacts enable accurate and easy signal setting.



Applications

- Winding check




- **Detection of LCD glass**

Work properly in the presence of water drops



- **Transparent object**



Specification

Switch structure	Contact-less
Repeatability	0.05mm
Protective structure	IP65
Contact rating	DC12~DC24V



Lineup

Unit : mm



Rotating lever type

Product name	Output mode	Stroke	Size
CSRNATNA-L1A	NPN-NO	30°	φ10
CSRNATPA-L1A	PNP-NO	30°	φ10
CSRNBTNB-L1A	NPN-NC	30°	φ10
CSRNBTPB-L1A	PNP-NC	30°	φ10

ADVFIT

ADVFIT AUTOMATION SDN BHD

(Co. No. 587996-T)

Penang Office:

No. 43, 1st Floor, Persiaran Mahsuri 1/1, Sunway Tunas,
11900 Bayan Lepas , Penang, Malaysia.

Tel : +604-644 6113

Fax : +604-643 0113

Selangor Office (KL) :

40A, Jalan Anggerik Vanilla AD31/AD, Sekyen 31 , Kota Kemuning ,
40460 Shah Alam , Selangor , Malaysia

Tel : +603-5121 9727

Fax : +603-5122 9727

E-mail: Sales@advfit.com

Website: www.advfit.com

Office H/P: 016-417 6227